


## Veterinary Small Animal Dentistry Catalogue











17655001

#### **HiRay DENTAL Generator**

The HiRay DENTAL X-Ray Generator provides superb image quality and gives you the perfect solution for today's digital imaging environment.

- · User-friendly, intuitive and safe
- The shorter exposure time ensures lower dose of radiation for the patient and a higher definition for the vet
- Elaborate design and short exposure time help speed up the workflow
- Stable and secure arms with a precise linear movement which can reduce the risk of vibration by the head during image acquisition
- Produces superior quality images thanks to a small 0.4 mm focal spot whether films, phosphor plates or digital sensors are used

#### **Technical specifications**

- Focal spot: 0.4 mm
- Exposure time: 0.01 2 sec.
- Duty cycle: 1:60
- High tension: 60 65 70 kVp
- Anodic current: 5 mA
- Total filtration: > 2 mm Al eq.
- Minimum focus skin distance: 200 mm
- Irradiated area: at 200 Ø 55 mm
- Leakage: at 1 m < 0.25 mGy/h
- Power supply: 120 230 V (± 10 %)
- Frequency: 50/60 Hz
- Current: 2.5 A

| Item No. |   |
|----------|---|
| 176530   | <ul><li>HiRay DENTAL Generator – Wall Model</li><li>Maximum reach: approx. 1.98 m</li><li>Installation/mounting on-site</li></ul> |
| 176535   | HiRay DENTAL Generator – Stand Model • Maximum reach: approx. 1.30 m  |

#### Portable Dental X-Ray System

This new Dental X-Ray Unit offers total portability and the latest digital technology making it ideal for both dental and extremity radiographs. The unit combines the highest specifications amongst portable dental X-Ray generators with built in safety features including a lead lined tank assembly and tube.

- Lightweight (only 1.5 kg) and small
- Fixed Tube Voltage: 70 kV
- Fixed Tube Current: 2 mAs
- $\bullet~$  Variable exposure times, 0.05 1.6 sec.
- Small Focal Spot of 0.4 mm provides sharp and clear images
- Pre-programed smart exposure settings
- Low radiation dose ensures patient and operator safety
- 2.4" LCD Display
- Li-Polymer Battery for up to 400 scans
- For use with DR sensors and CR image plates
- USB Port to connect the DigiVet DR Dental X-Ray Sensor (708032)
- Complies with national safety standards and guidelines
- Supplied with remote operating switch and tripod
- Dimensions (in cm): H 17.3 x W 14.0 x D 25.4

| 5 mensions (in emj. 11 17.5 x 17 11.0 x 5 25.1 |                              |  |
|--|------------------------------|--|
| Item No.                                       |                              |  |
| 176550   | Portable Dental X-Ray System |  |
| 17655001                                       | Backscatter Shield           |  |
| 176541   | Tripod                       |  |

#### DigiVet DR Dental X-Ray Sensor (Size 2)

The DigiVet DR Dental X-Ray Sensor gives you the power to capture high-quality digital X-Rays and view them instantly with the powerful EiVIS Software included.

- With USB port and high-resolution CsI scintillator
- Dimensions: 42 x 31 mm, height 5 mm/13 mm (cable)
- Active area: 34 x 26 mm
- Resolution: 20 lp/mm
- Pixel size: 20 x 20 micron
- Number of pixels: 2.21 million

#### EiVIS Dental - Intraoral X-Ray Software

- Stores and edits digital dental X-Rays
- Integration of sensor or imaging plate systems from various manufacturers
- Tooth charts for assigning X-Rays

#### Item No

708040 DigiVet DR Dental X-Ray Sensor (Size 2)





Example EiVIS Software

# Innovations for your everyday success







Application example

#### DigiVet CR PREMIUM Dental X-Ray Reader

The DigiVet CR PREMIUM now supports the large size 4 plate enabeling rapid examination with reduced radiation exposure. The large size 4 plate can also be very useful for imaging extremities. With a resolution of 21 lp/mm, the digital imaging plate system leaves nothing to be desired.

- Optimised workflow for your practice
- Dental Imaging Plates from size 0 to 4
- Magnetic Feeding Tray with erase function
- Easy-to-use imaging Software includes DICOM (Send / Retrieve)
- Compact dimensions (in mm): H 268 x W 124 x D 351

#### Easy to use imaging software

With the imaging software, the acquisition and management of images are optimised. The user-friendly software supports economical workflows in veterinary practices and requires little training: To ensure that the scans are assigned to the correct positions, the operator simply selects the relevant tooth on the software's tooth diagram.

#### Scope of delivery

- DigiVet CR PREMIUM Dental X-Ray Reader
- Starter set imaging plates:
   4x size 2 (31 x 41 mm), 1x size 4c (48 x 54 mm), 1x size 4 (54 x 76 mm)
- Starter set hygienic sleeves: 100x size 2, 100x size 4c, 100x size 4
- DigiVet Dental Vet Imaging Software Package including DICOM Modalities (Send/Retrieve)

| Item No. |  |
|----------|--|
| 708036   | DigiVet CR PREMIUM Dental X-Ray Reader |
| 70803122 | 12 months warranty (optional)          |
| 70803123 | 24 months warranty (optional)          |
| 70803124 | 36 months warranty (optional)          |
| 70803125 | 48 months warranty (optional)          |

| tem No.   |   |
|-----------|---|
| 70803101  | <ul> <li>Imaging Plate Kit (several sizes), includes:</li> <li>4x Size 2 (31 x 41 mm)</li> <li>1x Size 4c (48 x 54 mm)</li> </ul> |
| 70803102  | Imaging Plate Kit Size 0  • 4x Size 0 (22 x 31 mm)  |
| 70803103  | Imaging Plate Kit Size 1 • 4x Size 1 (24 x 40 mm)   |
| 70803104  | Imaging Plate Kit Size 2  • 4x Size 2 (31 x 41 mm)  |
| 70803105  | Imaging Plate Kit Size 3  • 4x Size 3 (27 x 54 mm)  |
| 70803106  | Imaging Plate Size 4c • 1x Size 4c (48 x 54 mm)   |
| 70803107  | Imaging Plate Size 4 • 1x Size 4 (57 x 76 mm)   |
| 70803602  | Storage Box for Imaging Plates  |
| 70803115  | Protective Covers Size 0 • Protection against mechanical damage • Pack of 100 pieces  |
| 70803116  | Protective Covers Size 1 • Protection against mechanical damage • Pack of 100 pieces  |
| 70803117  | Protective Covers Size 2  • Protection against mechanical damage  • Pack of 100 pieces  |
| 70803118  | Protective Covers Size 2  • Protection against mechanical damage  • Pack of 300 pieces  |
| 70803119  | Protective Covers Size 3  • Protection against mechanical damage  • Pack of 100 pieces  |
| 70803120  | Protective Covers Size 4c  Protection against mechanical damage  Pack of 100 pieces   |
| 70803121  | Protective Covers Size 4  Protection against mechanical damage Pack of 100 pieces   |
| 70803108  | Hygienic Bags Size 0 • Pack of 100 pieces   |
| 70803109  | Hygienic Bags Size 1 • Pack of 100 pieces   |
| 70803110  | Hygienic Bags Size 2 • Pack of 100 pieces   |
| 70803111  | <ul><li>Hygienic Bags Size 2</li><li>Pack of 300 pieces</li></ul>   |
| 70803112  | <ul><li>Hygienic Bags Size 3</li><li>Pack of 100 pieces</li></ul>   |
| 70803113  | <ul><li>Hygienic Bags Size 4c</li><li>Pack of 100 pieces</li></ul>  |
| 70803114  | <ul><li>Hygienic Bags Size 4</li><li>Pack of 100 pieces</li></ul>   |
| E70803101 | Power Adapter   |
| E70803104 | Power Cable   |
| E70803102 | USB 2.0 Cable   |
| E70803103 | Network Cable  • CAT.5E FTB (Cross-Over)  • Length: 2 m   |
| E70803107 | Replacement dongle for Digivet CR Dental<br>Reader – Software License   |



70803104



70803107



70803602



70803113



174000



#### **Profident Mobile Dental Unit**

The Profident is the result of many years of experience. It offers a wide range of applications for both, general practitioners and dental specialists. It is characterised by its modern design combined with high mobility. The stand is adjustable in height and all handpieces are arranged within easy reach of the operator. When a handpiece is removed from its holder, the Profident automatically supplies air and water to it.

#### High Speed Turbine (300,000 rpm) (174055)

- Push button burr change for friction grip burrs (FG)
- Variable burr water cooling facility

#### Low Speed Air Motor (20,000 rpm) with Straight Handpiece (174060)

- For long straight shank burrs (HP), diamond discs and prophy heads
- High torque, forward and reverse rotation
- · Optional water cooling facility

#### Silent Air Compressor (17402318)

- Maintenance free
- Includes: Micro Oil Filter (17404301)

#### Foot Switch

· For speed control and water activation

#### 3 in 1 Syringe

• Precise finger tip control of water, mist or dry air

Water connection to connect external dental scaler (e.g. 176870)

Approximate dimensions (in cm): H 7 1 - 100 x W 50 x D 45

| Item No. |   |
|----------|---|
| 174000   | Profident Mobile Dental Unit • Includes compressor  |
| 174022   | Optional water cooling for low speed handpiece, consisting of:                            |
|          | Low speed air motor   |
|          | With internal water cooling   |
|          | (up to 20,000 rpm, for appropriately  |
|          | configured dental units)  |
|          | Low Speed straight handpiece S-Max  |
|          | • 1: 1, with internal water cooling (for  |
|          | appropriately configured dental unit)   |
|          | Low Speed contra-angle 1: 1  • For low speed motor with water cooling                     |
|          | (for appropriately configured dental unit)  |
| 174045   | Replacement water bottle for dental units   |
|          | <ul> <li>For Profident (174023) and Profident PLUS<br/>(174024)</li> </ul>                |
|          | Content: 750 ml   |
| 17404502 | Replacement bottle for dental units • Spare Water Bottle for Profident • Content: 2 litre |
|          |   |

#### **Profident PLUS Mobile Dental Unit**

The Profident PLUS is an air driven dental unit without compromise. It offers all the features of the normal Profident. In addition, it includes a built-in dental scaler with LED illumination as well as an LED illuminated high speed turbine. These LED lights will dramatically increase your working efficiency.

High speed turbine (300,000 rpm) with LED illumination (17402322)

- For friction grip burrs (FG)
- Push button burr change
- Burr water cooling facility (option)

Low speed air motor (20,000 rpm) with straight handpiece (174060)

- For long straight shank burrs (HP), diamond discs and prophy heads
- High torque, forward and reverse rotation
- · Optional water cooling facility

Built-in dental scaler with LED illumination

- · Variable water flow facility
- Includes 5 scaling tips

Three in one syringe (air/water/spray)

Foot switch control for speed and/or water activation

| Foot switch | Foot switch control for speed and/or water activation  |  |  |
|-------------|--|--|--|
| Item No.    | Item No.   |  |  |
| 174001      | Profident PLUS Mobile Dental Unit Includes compressor LED illumination significantly improves working efficiency Dimensions (in cm): W 52 x H 71 – 100 x D 40  |  |  |
| 174022      | Optional water cooling for low speed handpiece, consisting of:  Low speed air motor  • With internal water cooling (up to 20,000 rpm, for appropriately configured dental units)  Low Speed straight handpiece S-Max  • 1: 1, with internal water cooling (for appropriately configured dental unit)  Low Speed contra-angle 1: 1  • For low speed motor with water cooling (for appropriately configured dental unit) |  |  |
| 17402401    | DTE Scaler replacement tip GD1T • Flat, pointed  |  |  |
| 17402402    | DTE Scaler replacement tip GD2T • Flat, wide   |  |  |
| 17402403    | DTE Scaler replacement tip GD3T • Long, pointed  |  |  |
| 17402404    | DTE Scaler replacement tip GD4T • Flat, pointed  |  |  |
| 17402405    | DTE Scaler replacement tip PD1T • Punctiform   |  |  |
| 174045      | Replacement water bottle for dental units • Content: 750 ml  |  |  |
| 17404502    | Replacement bottle for dental units • Content: 2 litre   |  |  |



174001



Scaler with LED lighting



Dental Handpiece High Speed (FG)




17402405

17402402 17402403

# 174010 17401150 17401155





#### Starter Kit Profident/Profident PLUS

The most important accessories for the Profident/Profident PLUS all in one set.

| in one set. |  |
|-------------|--|
| Item No.    |  |
| 174004      | Complete set, consisting of:   |
| 174010      | <ul> <li>Dental Handpiece Lubricant Oil</li> <li>A specially formulated, highly effective general handpiece and air motor lubricant</li> <li>Frequent application will assure hand piece and air motor performance and durability</li> <li>Suitable for high &amp; low speed handpieces</li> </ul> |
| 17401150    | Dental Handpiece Air Motor/Turbine<br>Adapter • For high speed handpieces  |
| 17401155    | Dental Handpiece Low Speed E-Type Adapter • Suitable for Dental Handpiece Lubricant Oil (174010)   |
| 174066      | Disposable Polishing Heads (HP)  • For straight handpiece  • Max. speed 3,000 rpm  • For single use  • Pack of 100 pieces  |
| 176782      | EICKEMEYER® Prophy Paste  • For polishing teeth after removing tartar  • Medium grain  • Peppermint flavour  • Weight: 200 g   |
| 174908      | Dental Burr Cleaning Brush  To clean dental burrs  |
| 17410601    | Dental Burr (HP)  • Size 23  • Round  • Pack of 2 pieces   |
| 17410609    | Dental Burr (FG)  • Size 23  • Round  • Pack of 5 pieces   |
| 17410603    | <ul><li>Dental Burr (FG)</li><li>Size 10</li><li>Round tapered</li><li>Pack of 5 pieces</li></ul>  |
| 17410604    | <ul><li>Dental Burr (FG)</li><li>Size 12</li><li>Round tapered</li><li>Pack of 5 pieces</li></ul>  |
| 17410605    | Dental Burr (FG)  • Size 16  • Round tapered  • Pack of 5 pieces   |

#### **Dental Unit Air Compressor**

#### Item No

#### 17430002

Dental Unit Air Compressor

- Required for Profident (174023)/ Profident PLUS (174024) Dental Unit
- Mountable on the base of Profident/ Profident PLUS
- Quiet, 40 dB (A) (as a fan)
- Low maintenance
- Compact design
- Powerful: 340 watt
- 230 V, 8 bar/116 psi, 37 l/min
- 6 l capacity
- Dimensions (in cm): L 45 x W 43 x D 20

#### 17404301

#### Micro Oil Filter

- Helps extend the life of handpieces
- Reduces the oil content in the compressed air down to 0.01 %

#### 174051

Oil for Dental Compressor

• Content: 500 ml



17430002



17404301

#### **High Speed Dental Handpieces**

Suitable for Profident/Profident PLUS Dental Units.

#### Itom No

#### 17402323

LED High Speed Handpiece

- Push button
- With water cooling up to 480,000 rpm
- With built-in LED lighting

#### 17405501

High Speed Dental Handpiece NSK

- 4 hole spray
- Interchangeable burr with push button
- Water cooling to reduce thermal tissue damage



17405501







#### **Low Speed Dental Handpieces**

- Low speed dental handpieces are ideal to use for rodent dentals and dental polishing
- Slim design for easy handling Designed for air driven dental units
- Compatible with Profident (174023) & Profident PLUS (174024)

| Item No. |  |
|----------|--|
| 174061   | Low Speed Straight Handpiece with Air Motor 1:1, with internal water cooling Up to 20,000 rpm For operation of polishing attachments and cutting discs   |
| 17406101 | Low Speed Air Motor  • 1:1, with internal water cooling  • Up to 20,000 rpm  • For appropriately configured dental unit  |
| 17402201 | NSK Low Speed Dental Handpiece <ul><li>Air motor included</li><li>Internal water cooling</li><li>Up to 22,000 rpm</li></ul>  |
| 174027   | Low Speed Dental Handpiece – Straight (HP)  • Ideal for rodent dentals  • Use with long straight shank burrs, diamond discs and prophy heads  • Compatible with Dental Polisher & Drill Unit (174028) and EickSonic Plus (176880)  • For polishing please order: Disposable Prophy heads HP (174066) |
| 17402202 | NSK Low Speed Dental Handpiece – Straight (HP) • 1 to 1 direct drive • Up to 25,000 rpm • Single port spray  |
| 174026   | Low Speed Dental Handpiece – Contra Angle (RA)  • For Dental Burr Set (174105)  • Compatible with Dental Polisher & Drill Unit (174028) and EickSonic Plus (176880)  • For polishing please order: Polishing Cups RA (176787)  |
| 17402205 | NSK Low Speed Dental Handpiece – Contra Angle (RA)  • 1 to 1 direct drive  • Up to 40,000 rpm  • Single port spray   |

## **CLEANING & CARE Dental Handpieces**

With regular care and cleaning after each procedure, you can maintain the full functionality of your handpieces.

#### 1. Preparation

After each procedure, remove the handpiece from the coupling and then remove the drill (ideally with a pair of tweezers).

#### 2. External cleaning of the handpieces / turbines

The handpiece should be cleaned with warm, running water (e. g. with a toothbrush) so that abrasive dust or saliva is washed away. Never clean the handpieces in an ultrasonic bath!

#### 3. Disinfection of handpieces / turbines

The handpieces can be treated externally in the spray water / spray air channels with disinfectants. Never immerse handpieces in disinfectant solution!

#### 4. Care of handpieces / turbines

Handpieces should be sprayed with care oil after each clean. Spray the care oil into the water and spray channels of the handpieces for 1-2 seconds. If the liquid emerging at the head is still mixed with dirt, the process should be repeated.



Injecting maintenance oil into the spray channel (maintenance oil item no. 174010 and spray channel adapter item no. 17401150)



Injecting care oil into handpieces with a planar receiving shaft (care oil item no. 174010 and handpiece adapter item no. 17401155)

#### 5. Care of collet chucks

The free movement of the push buttons is very important for the fixed clamping function of the drill. The clamping forceps must be sprayed with the maintenance oil at least once a week from the drill side. Only use diamond grinders and drills from well-known manufacturers. If the shaft material is too soft, scrapings may occur if the drill is twisted in the clamping jaw. This results in fine chips, which can become caught in the clamping system. Thereafter, the drill may no longer be removed and the tensioning system thereby damaged.

#### 6. Care

It is important to keep the all instrument joints well lubricated with instrument oil (e. g. no. 563707) to avoid any friction or corrosion. Other care checks include smoothness of movement. We offer a repair service for instruments.

#### **OIL REGULARLY FOR A LONG LIFESPAN**







#### **Dental Suction Unit Detergent**

- Cost effective, multi purpose cleaning, disinfection & de-odourising of dental suction systems
- Helps prolong the working life of Profident dental units
- Weekly clean

| item No. |                       | Content |  |
|----------|-----------------------|---------|--|
| 174031   | Aspirmatic® Detergent | 2 l     |  |
|          |                       |         |  |
|          |                       |         |  |
|          |                       |         |  |
|          |                       |         |  |
|          |                       |         |  |
|          |                       |         |  |
|          |                       |         |  |

#### **Disinfection Tablets for Profident / Profident PLUS**

- For disinfecting the water pipes of Profident / Profident PLUS
- Suitable for bottles of 0.7 1.0 l capacity
- White tablets for daily cleaning: Dissolve a white tablet every time you fill the water bottle of your Profident / Profident PLUS to continuously clean the water pipes.
- Orange shock tablet for intensive cleaning: Once a month, dissolve
  the shock tablet in the water bottle of your Profident / Profident
  PLUS and let the water run through the pipe system until the
  orange color appears. Let the water soak in the pipe system
  overnight and empty the bottle before the next treatment.

#### ltem No

174039

Disinfection tablets for Profident / Profident PLUS

• Contents: 48 blue tablets + 2 orange Shock tablets

#### **Mobile Dental Cart**

Turns every table into a dental treatment table! With the mobile dental tripod from EICKEMEYER®, every operating or treatment table becomes an ergonomic dental treatment table.

- For attachment to operating and treatment tables
- Ergonomic, curved dental tray with grate
- Easily removable tray for cleaning
- Made of stainless steel
- With 4 lockable smooth running castors
- Height adjustable from 75 100 cm
- Tray size (in cm): W 50 x D 35


#### Item No.


605105 Mobile Dental Cart

#### EickSonic II Dental Scaler

- With illuminated LED handpiece (removable)
- High performance (28 kHz)
- With modern Piezo technologies
- Suction power control
- Water connection hose with connector for 3/8" water line
- · Very easy to use
- Compact, durable design
- Best price-performance ratio
- Includes: 5 tips (2x flat/wide; 2x flat/pointed; 1x punctiform)

| Item No.   |                                       |
|------------|---------------------------------------|
| 176865     | EickSonic II Dental Scaler            |
| 176871     | Dental Scaling Tip • Flat pointed     |
| 176872     | Dental Scaling Tip • Flat wide        |
| 176873     | Dental Scaling Tip  • Tapered         |
| 176874     | Dental Scaling Tip P1T • Flat pointed |
| 176878     | Scaler Tip G3                         |
| E176865001 | LED Scaler Handpiece (replacement)    |





Its compact and robust design makes this unit ideal for the majority of all routine veterinary dental procedures.

The dental scaler is a state-of-the-art Piezo system, it offers superb efficiency to remove even the most stubborn tartar with ease. Water cooled drilling means you can run faster speeds without the risk of thermal tissue damage.

#### Dental Scaler

- Infinitely variable power control
- Self-regulated frequency: 27 to 32 kHz
- Driver type: piezoelectric
- Oscillation form: linear

#### Dental Micro Motor

- For straight and angled dental handpieces
- With water cooling
- High torque to ensure maximum precision
- Self-regulated speed up to 40,000 rpm
- Handpieces not included

| Item No. |   |
|----------|---|
| 176860   | Cocoon Spray Dental Unit  |
| 174037   | Low Speed Dental Handpiece – Contra-angle  • With water cooling  • 1:1, without air motor  • Compatible with Cocoon Dental Unit (176860)                  |
| 176875   | <ul> <li>Dental Unit Pressurised Water Canister</li> <li>Plastic construction</li> <li>Working pressure: up to 3 bar</li> <li>Volume: 5 litres</li> </ul> |
| 17402401 | DTE Scaler replacement tip GD1T • Flat, pointed   |
| 17402402 | DTE Scaler replacement tip GD2T • Flat, wide  |
| 17402403 | DTE Scaler replacement tip GD3T  • Long, pointed  |
| 17402404 | DTE Scaler replacement tip GD4T • Flat, pointed   |
| 17402405 | DTE Scaler replacement tip PD1T • Punctiform  |







174037











#### EICKEMEYER® Dental Polisher/Drill Unit II

- Compact dental micro motor for straight and angled dental handpieces
- Powerful and durable, quiet operation
- Infinitely variable speed up to 35,000 rpm
- Forward and reverse movement
- Choice of hand or foot switch control
- · Handpieces not included

| Item No.  |   |
|-----------|---|
| 174028    | EICKEMEYER® Dental Polisher/Drill Unit II         |
| 174026    | Low Speed Dental Handpiece –<br>Contra Angle (RA) |
| 174027    | Low Speed Dental Handpiece – Straight (HP)        |
| E17402802 | Holder for Micromotor                             |

#### **Dental Starter Kit for Small Animals**

The most important equipment for EICKEMEYER® Dental Polisher / Drill Unit II (174028) and Dental Unit EickSonic Plus LED (176880) together in one set.

| togetherm | one set.  |
|-----------|---|
| Item No.  |   |
| 174002    | Complete set, consisting of:  |
| 174026    | Low Speed Dental Handpiece – Contra Angle (RA)  • For Dental Burr Set (174105)  • For polishing please order: Disposable Prophy Heads HP (174066)   |
| 174027    | Low Speed Dental Handpiece – Straight (HP)  Ideal for rodent dentals  Use with long straight shank burrs, diamond discs and prophy heads  For polishing please order: Disposable Prophy Heads HP (174066)   |
| 174105    | Dental Burr Set (RA)  |
| 174066    | Disposable Polishing Heads (HP)  • For straight handpiece  • Max. speed 3,000 rpm  • For single use  • Pack of 100 pieces   |
| 176782    | EICKEMEYER® Prophy Paste  • For polishing teeth after removing tartar  • Medium grain  • Peppermint flavour  • Weight: 200 g  |
| 174010    | <ul> <li>Dental Handpiece Lubricant Oil</li> <li>A specially formulated, highly effective general handpiece and air motor lubricant</li> <li>Frequent application will assure hand piece and air motor performance and durability</li> <li>Suitable for high &amp; low speed handpieces</li> <li>Content: 500 ml</li> </ul> |
| 17401150  | Dental Handpiece Air Motor/Turbine Adapter • For high speed handpieces  |
| 17401155  | Dental Handpiece Low Speed E-Type Adapter • Suitable for 174010   |

#### Disposable Polishing Heads (HP)

Optimal polishing thanks to an oscillating movement. This also prevents excessive heat from developing on the tooth and the deformation of whisker hair.

#### Item No

#### 174066

Disposable Polishing Heads (HP)

- For straight handpiece
- Max. speed 3,000 rpm
- For single use
- Pack of 100 pieces



#### Polishing Cups (RA)

Perfect shiny teeth with a highly polished enamel surface.

#### Item No.

#### 176787

Polishing Cups (RA)

- Latch-type shank
- Compatible with Contra Angle Handpiece: 174026 & 174038
- Pack of 5 pieces



#### **Dental Unit Pressurised Water Canister**

- Creates an optimal pressure
- Fill with distilled water to protect your scaler against the build up of limescale

#### Item No.

#### 176875

Dental Unit Pressurised Water Canister

- Plastic construction
- Working pressure: up to 3 bar
- Volume: 5 litres













#### **Dental Handpiece Anti Dust Spray**

- Suitable to remove dust from handpieces
- CFC free
- · Includes spray head

#### Item No.

174880 Dental Handpiece Anti Dust Spray

**Dental Handpiece Lubricant Oil** 

| Item No. |  | Content |
|----------|--|---------|
| 174010   | <ul> <li>Dental Handpiece Lubricant Oil</li> <li>A specially formulated, highly effective general handpiece and air motor lubricant</li> <li>Frequent application will assure hand piece and air motor performance and durability</li> <li>Suitable for high &amp; low speed handpieces</li> </ul> | 500 ml  |
| 17401150 | Dental Handpiece Air Motor/<br>Turbine Adapter   |         |

#### **EICKEMEYER® Prophy Paste**

• For polishing teeth after removing tartar

E-Type Adapter

• For high speed handpieces

Dental Handpiece Low Speed

 Suitable for Dental Handpiece Lubricant Oil (174010)

Medium grain

17401155

Peppermint flavour

| Item No. |  | Content |  |
|----------|--|---------|--|
| 176782   | EICKEMEYER® Prophy Paste • Polishing paste | 200 g   |  |

#### **Dental Burr Cleaning Brush**

Keeps burrs clean to allow efficient cutting.

#### Item No.


174908

Dental Burr Cleaning Brush

To clean dental burrs

#### Schumacher Burr Set for Small Animals Quantity 174106 Complete set, consisting of: 17410601 Dental Burr (HP) 2 round • Size 23 17410609 Dental Burr (FG) 5 round • Size 23 17410603 Dental Burr (FG) 5 round • Size 10 tapered 17410604 Dental Burr (FG) 5 round • Size 12 tapered 17410605 Dental Burr (FG) 5 round • Size 16 tapered





#### Round Dental Burrs (FG)

- Tungsten carbide construction provides a long working life
- Pack of 5 pieces

| Item No. |   | Form  |
|----------|---|-------|
| 17410608 | Dental Burr (FG), size 14 • Recommended working speed: 70,000 – 220,000 rpm • Up to 450,000 rpm | round |
| 17410610 | Dental Burr (FG), size 18 • Recommended working speed: 55,000 – 160,000 rpm • Up to 450,000 rpm | round |
| 17410609 | Dental Burr (FG), size 23 • Recommended working speed: 40,000 – 120,000 rpm • Up to 300,000 rpm | round |



#### Round Tapered Dental Burrs (FG)

- Round Tapered
- Pack of 5 pieces

| Item No. |  |
|----------|--|
| 17410603 | Dental Burr (FG) • Size 10 • For cats                  |
| 17410604 | Dental Burr (FG) • Size 12 • For small dogs            |
| 17410605 | Dental Burr (FG) • Size 16 • For medium and large dogs |









#### Dental Burr Set (RA) and Polishing Cups (RA)

#### 174105


#### Dental Burr Set (RA)

- · Wide selection of burrs to accommodate all your routine procedures on dogs and cats
- Set of 11 burrs designed by Dr. Fahrenkrug

#### 176787

#### Polishing Cups (RA)

- Pack of 5 piecesCompatible with Contra Angle Handpiece: 174026 & 174038




#### Dental Burr Set (HP)

Tungsten carbide construction provides a long working life.

#### Includes:

- Round Burr Size 18
- Flat Tapered Burr Size 14 & 23
- Inverted Cone Burr Size 12 & 21

174205 Dental Burr Set (HP)



- Size 23
- Round
- Pack of 2 pieces



# Tapered Fissure Burr for Rodents (HP) Item No. Length mm 177280 Tapered Fissure Burr for Rodents (HP) • Ideal for removing excess growth on molar teeth • Cross cut tapered fissure • Extra long shaft • Pack of 5 pieces



| Burr S | et for | Straight | Handpiece |
|--------|--------|----------|-----------|
|--------|--------|----------|-----------|

| Buil Set i | buil Set for Straight Hamapiece                                   |              |  |
|------------|---|--------------|--|
| Item No.   |   | Length<br>mm |  |
| 174103     | Burr Set for Straight Handpiece For straight Handpiece Extra long | 44.5         |  |
|            |   |              |  |



#### **Diamond Coated Burr for Rodents (HP)**

#### Item No.

174107

Diamond Coated Burr for Rodents (HP)

- Ideal for removing excess growth on molar teeth
- Diamond coated
- For straight handpiece
- Can be used with Dental Burr Guard Rodent (177282)



#### **Dental Burr Guard for Rodents (HP)**

The soft tissue protector guards the tongue and cheek during reshaping of occlusal surfaces.

#### Item No.

177282 Dental Burr Guard for Rodents (HP)









- Tungsten carbide construction provides a long working life
- Ideal for delicate and difficult trimming
- X-cut pattern

| Item No. |                                      | Form             | Length<br>mm |
|----------|--------------------------------------|------------------|--------------|
| 17734006 | Dental Cutters Rodent (HP) • Size 21 | cylinder         | 45           |
| 17734007 | Dental Cutters Rodent (HP) • Size 45 | round<br>tapered | 50           |
| 17734008 | Dental Cutters Rodent (HP) • Size 60 | round<br>tapered | 50           |

#### **Diamond Disc Cutter SUPERFLEX**

- Ideal for trimming rodent/rabbit incisor teeth
- Suitable for sectioning teeth
- Always wear eye protection (940010)
- · Diamond coated edge

| Item No. |  | Ø<br>mm | Length<br>mm |  |
|----------|--|---------|--------------|--|
| 174455   | Diamond Disc Cutter<br>SUPERFLEX (HP)  | 13      | 45           |  |
| 174450   | Diamond Disc Cutter SUPERFLEX (HP)  • Use with Diamond Disk Safety Shield (177284) | 21      | 45           |  |
| 174451   | Diamond Disc Cutter<br>SUPERFLEX (RA)  | 21      |              |  |



### Diamond Disc Safety Shield

- Protects surrounding soft tissue structures as well as the operator from spinning diamond disc
- Use with Diamond Disk (174450)
- Always wear eve protection (940010)

| Always   | vear eye protection (540010) |
|----------|------------------------------|
| Item No. |                              |
| 177284   | Diamond Disc Safety Shield   |
|          |                              |
|          |                              |
|          |                              |
|          |                              |





| Disposable Tongue Spatula |  |              |
|---------------------------|--|--------------|
| Item No.                  |  | Length<br>mm |
| 177340005                 | Disposable Tongue Spatula  • Angled  • Pack of 10 pieces | 100          |

#### **Mouth Gags for Rodents**

An essential dental aid when examining the oral cavity of rabbits and other rodents.

| Item No. Length mm  177303 Mouth Gag for Rodent 115                                     |          |   |     |  |
|---|----------|---|-----|--|
| 177303 Mouth Gag for Rodent 115   | Item No. |   |     |  |
| <ul><li>Suitable for chinchillas</li><li>Lightweight</li></ul>                          | 177303   |   | 115 |  |
| 177304 Mouth Gag for Rodent 110  • Suitable for medium to large breed rabbits  • Robust | 177304   | Suitable for medium to large<br>breed rabbits | 110 |  |



#### **Mouth Gag for Rabbits**

An essential dental aid when examining the oral cavity of rabbits, allows the veterinarian to have both hands free.

| Item No. |   | Length<br>mm |
|----------|---|--------------|
| 177330   | Mouth Gag for Rabbits  Cam ratchet mechanism (self-locking)  Robust | 110          |



#### Rabbit/Rodent Tabletop Mouth Gag

The anaesthetised pet can be optimally fixed in order to gain the best possible access to the oral cavity. The worktable height and tilt are individually adjustable to achieve the optimal working position. The mouth opener is adjustable to fit any sized rabbit/rodent.


| 14   | NI |
|------|----|
| ltem | Nο |


177324


Rabbit/Rodent Tabletop Mouth Gag

- Length (tabletop): 28 cm
- Width (between the struts): 13.5 cm
- Height: 29 cm









#### **Rodent Cheek Dilators**

Helps enhance examination of the oral cavity.

| ·        | •   |              |
|----------|---|--------------|
| Item No. |   | Length<br>mm |
| 177302   | Rodent Cheek Dilator  • Size: Extra Small  • For guinea pigs and chinchillas  • Blade dimension (in mm):  L 16 x W 13 | 62           |
| 177305   | Rodent Cheek Dilator  • Size: Medium  • For medium to large rabbits  • Blade dimension (in mm): L 21 x W 15           | 85           |
| 177306   | Rodent Cheek Dilator  • Size: Small  • For dwarf rabbits  • Blade dimension (in mm): L 14 x W 11                      | 58           |
| 177310   | Rodent Cheek Dilator  • Size: Small  • Long reach  • Blade dimension (in mm): L 35 x W 10                             | 58           |
| 177311   | Rodent Cheek Dilator • For chinchillas • Blade dimension (in mm): L 21 x W 9 tapering to L 21 x W 4                   | 60           |
| 177320   | Rodent Cheek Dilator  • Size: Extra Small  • For small pets  • Blade dimension (in mm): L 11 x W 9                    | 35           |

#### **Tongue Spatulas**

Designed to retract and protect soft tissues in the oral cavity.

| Item No. |   | Length<br>mm |
|----------|---|--------------|
| 177307   | Tongue Spatula • Straight • Flat  | 175          |
| 177308   | <ul><li>HOLLMANN Tongue Spatula</li><li>Small</li><li>Concave</li></ul> | 170          |
| 177309   | HOLLMANN Tongue Spatula • Large • Concave                               | 190          |
| 174825   | HEIDEMANN Tongue Spatula • Medium                                       | 170          |

#### **MINI FRIEDMANN Rongeurs**

Designed with horizontal grooved handles to enhance grip Double spring mechanism allows self-opening action

| Item No. |  | Length<br>mm |
|----------|--|--------------|
| 177314   | MINI FRIEDMANN Rongeur • Tip width: 1.3 mm | 140          |
| 177312   | MINI FRIEDMANN Rongeur • Tip width: 2.0 mm | 120          |

| Rodent l | Rodent Molar Cutter with Tungsten Carbide  |              |
|----------|--|--------------|
| Item No. |  | Length<br>mm |
| 177316   | Rodent Molar Cutter (TC)  Suitable for trimming long molars leaving teeth with a smooth surface  Double spring mechanism  Simple removal of hooks and tips of the molars | 170          |
| 177318   | LEWIS Rasp – Fine Serration • Designed with back facing teeth  | 180          |
| 177319   | Dental Rasp LEWIS – Premium  • Diamond coated  | 180          |



#### **Rodent Molar Cutters**

Helps to debulk spurs and hooks on molars while allowing visualisation of occlusal surfaces.


| Item No. |  | Length<br>mm |
|----------|--|--------------|
| 177315   | Rodent Molar Cutter • For chinchillas and rabbits • Spring mechanism | 180          |
| 177317   | Rodent Molar Cutter  For chinchillas  Angled tip  Spring mechanism   | 120          |



#### **CROSSLEY Luxators**

Designed by David Crossley to extract both rabbit and pet incisors. Removal avoids the requirement for repeated cutting of overgrown maloccluded incisors. Provides a safe and precise solution for successful extractions.

| Item No. |   | Length<br>mm |  |
|----------|---|--------------|--|
| 177322   | Incisor Luxator (Lower Incisors)     For pets     To relax and extract the incisors                           | 195          |  |
| 177323   | <ul><li>Incisor Luxator (Upper Incisors)</li><li>For pets</li><li>To relax and extract the incisors</li></ul> | 190          |  |
| 17734003 | Incisor Luxator • For rabbits   | 190          |  |
| 17734004 | Molar Luxator • For rabbits   | 170          |  |





#### **Molar Extraction Forceps**

Designed with right angle tips for the narrow area of rodents' oral cavities.

| Item No. |                          | Length<br>mm |
|----------|--------------------------|--------------|
| 17734001 | Molar Extraction Forceps | 160          |

#### Rabbit/Rodent Dental Kit

Starter kit specially designed for the diagnosis and treatment of dental diseases in rabbits by SCHUMACHER.

| Item No.  |   | Length<br>mm |
|-----------|---|--------------|
| 177340    | Complete set, consisting of:  |              |
| 17734003  | CROSSLEY Incisor Luxator  | 190          |
| 17734004  | CROSSLEY Molar Luxator  | 170          |
| 17734012  | Peridontal Probe • Graduated tip  | 155          |
| 17734001  | Molar Extraction Forceps  | 160          |
| 17734006  | Dental Cutters Rodent (HP) • Size 21  | 45           |
| 17734007  | Dental Cutters Rodent (HP) • Size 45  | 50           |
| 17734008  | Dental Cutters Rodent (HP) • Size 60  | 50           |
| 174455    | SUPERFLEX Diamond Disc<br>Cutter (HP)<br>• Ø 13 mm  | 45           |
| 177311    | <ul> <li>Rodent Cheek Dilator</li> <li>For chinchillas</li> <li>Blade dimension (in mm): L 21 x W 9 tapering to L 21 x W 4</li> </ul>     | 60           |
| 177310    | Rodent Cheek Dilator  • Size: Small  • Long reach  • Blade dimension (in mm):  L 35 x W 10  | 58           |
| 177305    | Rodent Cheek Dilator  • Size Medium  • For medium to large rabbits  • Blade dimension (in mm):  L 21 x W 15                               | 85           |
| 177306    | <ul> <li>Rodent Cheek Dilator</li> <li>Size Small</li> <li>For dwarf rabbits</li> <li>Blade dimension (in mm):<br/>L 14 x W 11</li> </ul> | 58           |
| 177319    | Dental Rasp LEWIS – Premium • Diamond coated  | 180          |
| 171411    | GRAEFE Fixation Forceps • With pin  | 110          |
| 177340005 | Disposable Tongue Spatula  • Angled  • Pack of 10 pieces  | 100          |

#### **Motorised Rodent Dental Kit**

The most common dental disease in rodents is excessive tooth growth, which can affect both incisors and molars. Our motorised rodent dental kit has been designed by Richard Saunders (Veterinary Adviser to the Rabbit Welfare Association and Fund) and provides all the necessary instruments to help you treat commonly encountered problems.

| 177341   | Item No. |   | Length |
|--|----------|---|--------|
| Rodent Cheek Dilator   Size Medium   For medium to large rabbits   Blade dimension (in mm): L 21 x W 15  | Acm No.  |   |        |
| Size Medium   For medium to large rabbits   Blade dimension (in mm): L 21 x W 15   | 177341   | Complete set, consisting of:  |        |
| Size Small For dwarf rabbits Blade dimension (in mm): L14 x W 11  177310 Rodent Cheek Dilator Size: Small Long reach Blade dimension (in mm): L35 x W 10  17734001 Molar Extraction Forceps Molar Extraction Molar Extract | 177305   | <ul><li>Size Medium</li><li>For medium to large rabbits</li><li>Blade dimension (in mm):</li></ul>  | 85     |
| Size: Small   Long reach   Blade dimension (in mm): L 35 x W 10  | 177306   | <ul><li>Size Small</li><li>For dwarf rabbits</li><li>Blade dimension (in mm):</li></ul>   | 58     |
| 17734003 CROSSLEY Incisor Luxator 190 17734004 CROSSLEY Molar Luxator 170 17734004 Mouth Gag for Rodent 110 17734012 Peridontal Probe Graduated tip 17734007 Pontal Cutters Rodent (HP) 50 17734008 Dental Cutters Rodent (HP) 50 177280 Dental Burr Set Rodent (HP) 65 16al for removing excess growth on molar teeth Cross cut tapered fissure Extra long shaft 177282 Dental Burr Gurd Rodent (HP) 9 21 mm 177284 Diamond Disc Safety Shield 177307 Tongue Spatula Straight Flat 177308 HOLLMANN Tongue Spatula Small Concave 177309 HOLLMANN Tongue Spatula 170 177309 HOLLMANN Tongue Spatula 190 177319 Dental Rasp LEWIS – Premium 180 177319 Dental Rasp LEWIS – Premium 180 177307 Premium Instrument Box Made of aluminium Perforated bottom and lid Features side closures Not autoclavable Dimensions (in cm):   | 177310   | <ul><li>Size: Small</li><li>Long reach</li><li>Blade dimension (in mm):</li></ul>   | 58     |
| 17734004 CROSSLEY Molar Luxator 170 177304 Mouth Gag for Rodent Suitable for medium to large breed rabbits Robust 17734012 Peridontal Probe Graduated tip 155 17734007 Dental Cutters Rodent (HP) So Size 45 17734008 Dental Cutters Rodent (HP) So Size 60 177280 Dental Burr Set Rodent (HP) So Ideal for removing excess growth on molar teeth Cross cut tapered fissure Extra long shaft 177282 Dental Burr Guard Rodent (HP) 174450 SUPERFLEX Diamond Disc Cutter (HP) Ø 21 mm 177284 Diamond Disc Safety Shield 177307 Tongue Spatula Straight Flat 177308 HOLLMANN Tongue Spatula Small Concave 177309 HOLLMANN Tongue Spatula 170 177309 HOLLMANN Tongue Spatula 190 Large Concave 177319 Dental Rasp LEWIS – Premium Diamond coated 517050 Premium Instrument Box Made of aluminium Perforated bottom and lid Features side closures Not autoclavable Dimensions (in cm):   | 17734001 | Molar Extraction Forceps  | 160    |
| 177304 Mouth Gag for Rodent Suitable for medium to large breed rabbits Robust  17734012 Peridontal Probe Graduated tip  17734007 Dental Cutters Rodent (HP) Size 45  17734008 Dental Cutters Rodent (HP) Got ladel for removing excess growth on molar teeth Cross cut tapered fissure Extra long shaft  177280 Dental Burr Guard Rodent (HP) Independent of the property of t | 17734003 | CROSSLEY Incisor Luxator  | 190    |
| Suitable for medium to large breed rabbits Robust  17734012 Peridontal Probe Graduated tip  17734007 Dental Cutters Rodent (HP) Size 45  17734008 Dental Cutters Rodent (HP) Size 60  177280 Dental Burr Set Rodent (HP) Ideal for removing excess growth on molar teeth Cross cut tapered fissure Extra long shaft  177282 Dental Burr Guard Rodent (HP)  SUPERFLEX Diamond Disc Cutter (HP) Ø 21 mm  177284 Diamond Disc Safety Shield  177307 Tongue Spatula Straight Flat  177308 HOLLMANN Tongue Spatula Concave  177309 HOLLMANN Tongue Spatula Concave  177319 Dental Rasp LEWIS – Premium Diamond coated  517050 Premium Instrument Box Made of aluminium Perforated bottom and lid Features side closures Not autoclavable Dimensions (in cm):  | 17734004 | CROSSLEY Molar Luxator  | 170    |
| • Graduated tip  17734007 Dental Cutters Rodent (HP) • Size 45  17734008 Dental Cutters Rodent (HP) • Size 60  177280 Dental Burr Set Rodent (HP) • Ideal for removing excess growth on molar teeth • Cross cut tapered fissure • Extra long shaft  177282 Dental Burr Guard Rodent (HP)  174450 SUPERFLEX Diamond Disc Cutter (HP) • Ø 21 mm  177284 Diamond Disc Safety Shield  177307 Tongue Spatula • Straight • Flat  177308 HOLLMANN Tongue Spatula • Small • Concave  177309 HOLLMANN Tongue Spatula • Large • Concave  177319 Dental Rasp LEWIS – Premium • Diamond coated  517050 Premium Instrument Box • Made of aluminium • Perforated bottom and lid • Features side closures • Not autoclavable • Dimensions (in cm):  | 177304   | • Suitable for medium to large breed rabbits  | 110    |
| • Size 45  17734008 Dental Cutters Rodent (HP) • Size 60  177280 Dental Burr Set Rodent (HP) • Ideal for removing excess growth on molar teeth • Cross cut tapered fissure • Extra long shaft  177282 Dental Burr Guard Rodent (HP)  174450 SUPERFLEX Diamond Disc Cutter (HP) • Ø 21 mm  177284 Diamond Disc Safety Shield  177307 Tongue Spatula • Straight • Flat  177308 HOLLMANN Tongue Spatula • Concave  177309 HOLLMANN Tongue Spatula • Concave  177319 Dental Rasp LEWIS – Premium • Diamond coated  517050 Premium Instrument Box • Made of aluminium • Perforated bottom and lid • Features side closures • Not autoclavable • Dimensions (in cm):   | 17734012 |   | 155    |
| • Size 60  177280 Dental Burr Set Rodent (HP) • Ideal for removing excess growth on molar teeth • Cross cut tapered fissure • Extra long shaft  177282 Dental Burr Guard Rodent (HP)  174450 SUPERFLEX Diamond Disc Cutter (HP) • Ø 21 mm  177284 Diamond Disc Safety Shield  177307 Tongue Spatula • Straight • Flat  177308 HOLLMANN Tongue Spatula • Concave  177309 HOLLMANN Tongue Spatula • Large • Concave  177319 Dental Rasp LEWIS – Premium • Diamond coated  517050 Premium Instrument Box • Made of aluminium • Perforated bottom and lid • Features side closures • Not autoclavable • Dimensions (in cm):  | 17734007 |   | 50     |
| • Ideal for removing excess growth on molar teeth • Cross cut tapered fissure • Extra long shaft  177282 Dental Burr Guard Rodent (HP)  174450 SUPERFLEX Diamond Disc  | 17734008 |   | 50     |
| 174450 SUPERFLEX Diamond Disc Cutter (HP)  • Ø 21 mm  177284 Diamond Disc Safety Shield  177307 Tongue Spatula 175  • Straight  • Flat  177308 HOLLMANN Tongue Spatula 170  • Small  • Concave  177309 HOLLMANN Tongue Spatula 190  • Large  • Concave  177319 Dental Rasp LEWIS – Premium 180  • Diamond coated  517050 Premium Instrument Box  • Made of aluminium  • Perforated bottom and lid  • Features side closures  • Not autoclavable  • Dimensions (in cm):   | 177280   | <ul><li> Ideal for removing excess growth<br/>on molar teeth</li><li> Cross cut tapered fissure</li></ul>   | 65     |
| Cutter (HP)  • Ø 21 mm  177284 Diamond Disc Safety Shield  177307 Tongue Spatula  • Straight  • Flat  177308 HOLLMANN Tongue Spatula  • Concave  177309 HOLLMANN Tongue Spatula  • Concave  177319 Dental Rasp LEWIS – Premium  • Diamond coated  517050 Premium Instrument Box  • Made of aluminium  • Perforated bottom and lid  • Features side closures  • Not autoclavable  • Dimensions (in cm):   | 177282   | Dental Burr Guard Rodent (HP)   |        |
| 177307 Tongue Spatula Straight Flat  177308 HOLLMANN Tongue Spatula Small Concave  177309 HOLLMANN Tongue Spatula Large Concave  177319 Dental Rasp LEWIS – Premium Diamond coated  517050 Premium Instrument Box Made of aluminium Perforated bottom and lid Features side closures Not autoclavable Dimensions (in cm):  | 174450   | Cutter (HP)   | 45     |
| • Straight • Flat  177308 HOLLMANN Tongue Spatula 170 • Small • Concave  177309 HOLLMANN Tongue Spatula 190 • Large • Concave  177319 Dental Rasp LEWIS – Premium 180 • Diamond coated  517050 Premium Instrument Box • Made of aluminium • Perforated bottom and lid • Features side closures • Not autoclavable • Dimensions (in cm):  | 177284   | Diamond Disc Safety Shield  |        |
| • Small • Concave  177309 HOLLMANN Tongue Spatula 190 • Large • Concave  177319 Dental Rasp LEWIS – Premium 180 • Diamond coated  517050 Premium Instrument Box • Made of aluminium • Perforated bottom and lid • Features side closures • Not autoclavable • Dimensions (in cm):  | 177307   | • Straight  | 175    |
| Large     Concave  177319 Dental Rasp LEWIS – Premium     Diamond coated  517050 Premium Instrument Box     Made of aluminium     Perforated bottom and lid     Features side closures     Not autoclavable     Dimensions (in cm):  | 177308   | • Small   | 170    |
| Diamond coated  Premium Instrument Box Made of aluminium Perforated bottom and lid Features side closures Not autoclavable Dimensions (in cm):   | 177309   | • Large   | 190    |
| <ul> <li>Made of aluminium</li> <li>Perforated bottom and lid</li> <li>Features side closures</li> <li>Not autoclavable</li> <li>Dimensions (in cm):</li> </ul>  | 177319   | ·   | 180    |
|  | 517050   | <ul> <li>Made of aluminium</li> <li>Perforated bottom and lid</li> <li>Features side closures</li> <li>Not autoclavable</li> <li>Dimensions (in cm):</li> </ul> |        |





175050



175061



#### **DENTANOMIC Dental Instruments - Sets**

Your complete set of luxators and elevators for the modern veterinary practice.

DENTANOMIC instruments are premium surgical tools with superb tempered and hardened modular blades making dental extraction in dogs and cats easier, safer and faster.


- Blades are made from top quality, hardened stainless steel and cut much better than conventional instruments
- Unique modular design allows easy blade replacement when blades are blunt or damaged
- Ergonomic handle design promotes safe palm grip, only minimal finger force is required to stabilise the cutting edge
- Standard handles are perfectly balanced and sized for surgeons with hands up to 7.5 glove size

| Itom No  |  |
|----------|--|
| Item No. | DENTANDAMECO   |
| 175050   | DENTANOMIC Set – Bronze Complete set, consisting of: • 2 handles (purple and gold) • Elevator blade set (all sizes) • Sterilisation and storage rack • Storage rack  |
| 175051   | DENTANOMIC Set – Bronze, Long Handles Complete set, consisting of: • 2 handles (purple and gold) • Elevator blade set (all sizes) • Sterilisation and storage rack • Storage rack  |
| 175060   | DENTANOMIC Set – Silver Complete set, consisting of: • 3 handles (green, blue and pink) • Elevator blade set (all sizes) • Luxator blade set (all sizes) • Sterilisation and storage rack • Honing set   |
| 175061   | DENTANOMIC Set – Silver, Long Handles Complete set, consisting of: • 3 handles (green, blue and pink) • Elevator blade set (all sizes) • Luxator blade set (all sizes) • Sterilisation and storage rack • Honing set   |
| 175070   | DENTANOMIC Set – Gold Complete set, consisting of: • 5 handles (purple, gold, green, blue and pink) • Elevator blade set (all sizes) • Luxator blade set (all sizes) • Sterilisation and storage rack • Honing set • Sterilisation container   |
| 175071   | DENTANOMIC Set – Gold, Long Handles Complete set, consisting of:  • 5 handles (purple, gold, green, blue and pink)  • Elevator blade set (all sizes)  • Luxator blade set (all sizes)  • Sterilisation and storage rack  • Honing set  • Sterilisation container   |
| 175072   | DENTANOMIC Set – Gold, Mixed Sized Handles Complete set, consisting of:  • 3 standard handles (green, blue and pink)  • 2 long handles (purple and orange)  • Elevator blade set (all sizes)  • Luxator blade set (all sizes)  • Sterilisation and storage rack  • Honing set  • Sterilisation container |

| DENTANO  | OMIC Handles  |              |
|----------|---|--------------|
| Item No. |   | Length<br>mm |
| 175000   | DENTANOMIC Ergonomic Handle • Blue  | 65           |
| 175001   | DENTANOMIC Ergonomic Handle • Green                                       | 65           |
| 175002   | DENTANOMIC Ergonomic Handle • Pink  | 65           |
| 175008   | DENTANOMIC Ergonomic Handle • Orange                                      | 65           |
| 175009   | DENTANOMIC Ergonomic Handle • Purple                                      | 65           |
| 175005   | DENTANOMIC Ergonomic Handle • Longer shaft • Blue                         | 80           |
| 175006   | DENTANOMIC Ergonomic Handle <ul><li>Longer shaft</li><li>Green</li></ul>  | 80           |
| 175007   | DENTANOMIC Ergonomic Handle <ul><li>Longer shaft</li><li>Pink</li></ul>   | 80           |
| 175003   | DENTANOMIC Ergonomic Handle <ul><li>Longer shaft</li><li>Orange</li></ul> | 80           |
| 175004   | DENTANOMIC Ergonomic Handle • Longer shaft • Purple                       | 80           |



| DENTANO   | MIC Accessories   |             |
|-----------|---|-------------|
| Item No.  |   | Width<br>mm |
| 175200    | Storage and Sterilisation Rack For 9 DENTANOMIC blades With lid Dimensions (in cm): L 19 x W 8 x H 2  |             |
| 175201    | DENTANOMIC Honing Pack  1 DMT DiaSharp (extra-fine) & 1 DMT DiaFold sharpener (extra-fine)  Extra fine  Diamond Hone  No oil required (dry or sharpen with water) |             |
| 175202    | DENTANOMIC Serilisation container  • For up to 5 instruments  • With removable tray   |             |
| E17500001 | Spare Key for DENTANOMIC Handles  |             |











#### **DENTANOMIC Periosteal Elevator Set**

Complete set, consisting of:

- 4 periosteal elevator blades (2, 4, 6 and 8 mm)
- Sterilisation container

#### Item No.

175115 DENTANOMIC Periosteal Elevator Set

#### **DENTANOMIC Blade Set for Small Animals**

Complete set, consisting of:

- 5 luxator blades (1.5, 2, 3, 4 and 5 mm)
- 4 elevator blades (2, 3, 4 and 5 mm)

175090 DENTANOMIC Blade Set for Small Animals

#### **DENTANOMIC 5 Blade Set for Feline**

Complete set, consisting of:

- 3 luxator blades (1.5, 2 and 3 mm)
- 2 elevator blades (2 and 3 mm)

#### tem No.

175080 DENTANOMIC 5 Blade Set for Feline

#### **DENTANOMIC Tips**

| Item No. |                                    | Width<br>mm |  |
|----------|------------------------------------|-------------|--|
| 175100   | DENTANOMIC Winged Elevator Tip     | 2           |  |
| 175101   | DENTANOMIC Winged Elevator Tip     | 3           |  |
| 175102   | DENTANOMIC Winged Elevator Tip     | 4           |  |
| 175103   | DENTANOMIC Winged Elevator Tip     | 5           |  |
| 175104   | DENTANOMIC Luxation Tip            | 1,5         |  |
| 175105   | DENTANOMIC Luxation Tip            | 2           |  |
| 175106   | DENTANOMIC Luxation Tip            | 3           |  |
| 175107   | DENTANOMIC Luxation Tip            | 4           |  |
| 175108   | DENTANOMIC Luxation Tip            | 5           |  |
| 175109   | DENTANOMIC Luxation Tip for Horses | 4           |  |
| 175110   | DENTANOMIC Luxation Tip for Horses | 5           |  |

#### **Elevators**

- These very fine Elevators were developed specifically for the extraction of teeth in cats and small dogs
- Additionally, they are an effective tool for lifting fractured tooth roots
- Due to the design it is recommended to not exert too much force
- The Elevators can be sharpened with the use of a grindstone

| Item No. |                         | Width<br>mm | Length<br>mm |
|----------|-------------------------|-------------|--------------|
| 175322   | Elevator • Straight tip | 1           | 135          |
| 175323   | Elevator • Straight tip | 2           | 135          |
| 175803   | Feline Dental Elevator  | 2           | 170          |



#### Periosteal Elevators

| Periostea | Periosteat Elevators   |              |
|-----------|--|--------------|
| Item No.  |  | Length<br>mm |
| 176414    | Periosteal Elevator  Ergonomic design for better instrument guidance than double-ended elevators  Designed for the extraction in canines   | 150          |
| 175324    | Molt Periosteal Elevator Sharp, pointed and narrow tip is used for lifting the mucoperiosteum The slightly wider, more rounded end enables the surgeon to remove enough tissue to expose the bone Both tips are thin and slightly curved This is one of the most commonly used instruments in oral surgery | 190          |
| 176415    | <ul> <li>Double Ended Periosteal Elevator</li> <li>The fine and round tips are dish-shaped with a diameter of 4 &amp; 6 mm</li> <li>They are most commonly used to create dental flaps</li> </ul>  | 205          |



#### **Winged Elevators**

Designed with a sharp blade and lateral wings, which improves the contact with conical roots.

| Item No. |                 | Width<br>mm | Length<br>mm |
|----------|-----------------|-------------|--------------|
| 175312   | Winged Elevator | 2           | 145          |
| 175313   | Winged Elevator | 3           | 145          |
| 175314   | Winged Elevator | 4           | 145          |
| 175315   | Winged Elevator | 5           | 145          |
| 175316   | Winged Elevator | 6           | 145          |
|          |                 |             |              |





|         | Width<br>mm        | Length<br>mm                       |
|---------|--------------------|------------------------------------|
| Luxator | 1                  | 125                                |
| Luxator | 2                  | 125                                |
| Luxator | 3                  | 125                                |
| Luxator | 4                  | 125                                |
| Luxator | 5                  | 125                                |
|         | Luxator<br>Luxator | mmLuxator1Luxator2Luxator3Luxator4 |





### SCHUMACHER Luxator

Designed with a tapered leading edge making it ideal for use with cats.

| Item No. |                    |
|----------|--------------------|
| 175309   | SCHUMACHER Luxator |
|          |                    |
|          |                    |
|          |                    |
|          |                    |
|          |                    |
|          |                    |
|          |                    |
|          |                    |
|          |                    |
|          |                    |
|          |                    |
|          |                    |





#### Apical Elevator

| tem No.                          | Length<br>mm |
|----------------------------------|--------------|
| 75405 Apical Elevator • Straight | 145          |

#### **BEIN Dental Elevators**

The spoon shaped configuration of these elevators helps guide them into the periodontal pocket, which gives additional leverage and reduces gingival damage.

| Item No. |                      | Width | Length<br>mm |  |
|----------|----------------------|-------|--------------|--|
| 175302   | BEIN Dental Elevator | 2     | 135          |  |
| 175303   | BEIN Dental Elevator | 3     | 135          |  |
| 175304   | BEIN Dental Elevator | 4     | 135          |  |
| 17530801 | BEIN Dental Elevator | 5     | 135          |  |



#### **BEIN Dental Elevators Modified**

The spoon shape configuration of these elevators helps guide them into the periodontal pocket, which provides additional leverage and reduces gingival damage.


| Item No. |                                  | Width<br>mm | Length<br>mm |  |
|----------|----------------------------------|-------------|--------------|--|
| 175305   | BEIN Dental Elevator<br>Modified | 2           | 135          |  |
| 175306   | BEIN Dental Elevator<br>Modified | 3           | 135          |  |
| 175307   | BEIN Dental Elevator<br>Modified | 4           | 135          |  |
| 175308   | BEIN Dental Elevator<br>Modified | 5           | 135          |  |



#### **Periodontal Probes**


Designed with a blunt ended tip for subgingival exploration.

| Item No. |  | Length |
|----------|--|--------|
|          |  | mm     |
| 17734011 | Periodontal Probe • Dual-ended • Graduated tip | 170    |
| 17734012 | Peridontal Probe • Graduated tip               | 155    |
| 17647202 | Peridontal Probe • Graduated tip               | 160    |
| 176456   | Periodontal Probe • Graduated tip              | 160    |
| 176459   | Periodontal Probe / Explorer • Size 9          | 155    |
| 176467   | Periodontal Probe / Explorer • Size 17         | 170    |






| Dental Instruments for Small Animals |  |              |  |
|--------------------------------------|--|--------------|--|
| Item No.                             |  | Length<br>mm |  |
| 176410                               | JAQUETTE Supragingival Scaler                                | 165          |  |
| 176412                               | Subgingival Curette • Designed with a 70° blade to the shaft | 165          |  |
| 176422                               | Dental Mirror • Width: 22 mm                                 | 165          |  |



| Subgingi | Subgingival Curettes/Dental Periosteal Elevators  |              |
|----------|---|--------------|
| Item No. |   | Length<br>mm |
| 17647203 | Subgingival Curette Gracey • Size 3/4" • Suitable for incisor teeth   | 170          |
| 17647204 | <ul><li>Subgingival Curette Gracey</li><li>Size 9/10"</li><li>Suitable for buccal and lingual aspects of molar teeth</li></ul>  | 170          |
| 17647206 | <ul> <li>Dental Periosteal Elevator</li> <li>Designed to help elevate full thickness soft tissue</li> <li>Sharpen regularly</li> <li>Dual-ended 3.4 / 4.6 mm</li> </ul> | 170          |
| 17647207 | GLICKMANN Combined Instrument  Knife / periosteal elevator  Tip width: 4 mm   | 175          |
| 166014   | <ul> <li>WILLIGER Periosteal Elevator</li> <li>Designed with a wide<br/>horizontally grooved handle<br/>to enhance control</li> <li>Width: 5 mm</li> </ul>              | 130          |
| 166016   | WILLIGER Periosteal Elevator • Width: 6.5 mm  | 160          |



| Periosteal Elevator |              |              |
|---------------------|--------------|--------------|
|                     | Length<br>mm |              |
| Periosteal Elevator | 180          |              |
|                     |              | Length<br>mm |

#### **FAHRENKRUG Dental Elevator**

Designed to help extract deciduous teeth.

| Item No. |  | Width<br>mm | Length<br>mm |  |
|----------|--|-------------|--------------|--|
| 175801   | FAHRENKRUG Dental<br>Elevator<br>• For dogs            | 2           | 200          |  |
| 175802   | FAHRENKRUG Dental Elevator • For cats and smaller dogs | 3           | 190          |  |



#### **Arkansas Whetstone**

- Suitable for sharpening dental elevators
- Use oil as a lubricant to prevent steel particles from clogging the stone pores

| Item No. |                    | Width<br>cm | Length<br>cm |  |
|----------|--------------------|-------------|--------------|--|
| 176480   | Arkansas Whetstone | 5.1         | 5.1          |  |
|          |                    |             |              |  |
|          |                    |             |              |  |
|          |                    |             |              |  |
|          |                    |             |              |  |
|          |                    |             |              |  |
|          |                    |             |              |  |
|          |                    |             |              |  |
|          |                    |             |              |  |



#### **Dental Extraction Forceps**

There are various extraction forceps configurations to "fit" different tooth shapes and should be used alongside dental elevators to help remove teeth.

| Item No. |  | Length<br>mm | Form     |
|----------|--|--------------|----------|
| 176010   | Dental Extraction Forceps • Diamond coated                             | 110          | straight |
| 176011   | Dental Extraction Forceps • Premolars                                  | 110          | straight |
| 176016   | Dental Extraction Forceps • Roots                                      | 165          | straight |
| 176015   | Dental Extraction Forceps • Premolar, incisors, roots • Diamond coated | 165          | straight |
| 176017   | Dental Extraction Forceps • Premolar, incisors, roots                  | 165          | straight |



176010





Designed to extract root fragments from the maxillary arcade.

| Item No. |                                | Length |  |
|----------|--------------------------------|--------|--|
|          |                                | mm     |  |
| 176215   | WITZEL Root Extraction Forceps | 150    |  |



#### **STIEGLITZ Root Extraction Forceps**

Designed with narrow tips to help grasp fractured tooth roots in cats and small breed dogs.

|                                   | Length<br>mm                      |    |
|-----------------------------------|-----------------------------------|----|
| STIEGLITZ Root Extraction Forceps | 130                               |    |
|                                   |                                   |    |
|                                   |                                   |    |
|                                   |                                   |    |
|                                   |                                   |    |
|                                   | STIEGLITZ Root Extraction Forceps | mm |



This retractor has been developed specifically for veterinary purposes. Used to lift and protect the tissue for when the user is performing surgical extractions whilst operating a high speed drill. One end holds the cheek back and the other keeps the tongue away from the surgical area, a multipurpose retractor.

| Item No. |                     | Length<br>mm |
|----------|---------------------|--------------|
| 176022   | Minnesota Retractor | 155          |
|          |                     |              |



#### **Root Tip Extraction Forceps**

For easy removal of tooth root tips. The serrated slightly curved ends allow easy extraction. The pliers open automatically thanks to the spring and are ergonomically optimised thanks to their curved shape.

| Item No. |                             | Length<br>mm |  |
|----------|-----------------------------|--------------|--|
| 176023   | Root Tip Extraction Forceps | 150          |  |



#### **Right Angle Extraction Forceps**

The right angled jaws reduce the risk of tooth fracture during extraction. By not meeting at the end, they reduce the risk of breaking off small teeth. Small spring loaded handles provide a more tactile feel.

The small spring loaded handles provide a more tactile feel useful for the extraction of deciduous teeth in cats and small dogs.


| Item No. |  | Length<br>mm |
|----------|--|--------------|
| 176025   | Right Angle Extraction Forceps • For cats and small dogs | 125          |




#### **LaGrange Gum Scissors**

S-shaped: For ergonomic cutting

| Item No |                       | Length<br>mm |
|---------|-----------------------|--------------|
| 115100  | LaGrange Gum Scissors | 115          |
|         |                       |              |
|         |                       |              |
|         |                       |              |
|         |                       |              |
|         |                       |              |
|         |                       |              |
|         |                       |              |
|         |                       |              |
|         |                       |              |





#### **Dental Hand Scalers**

Helpful to remove dental tartar.

| Item No. |  | Length<br>mm |
|----------|--|--------------|
| 176401   | Dental Hand Scaler <ul><li>Hook shaped</li></ul> | 150          |
| 176402   | Dental Hand Scaler • Enamel hatchet              | 150          |
| 176403   | Universal Hand Scaler • Left                     | 155          |
| 176404   | Universal Hand Scaler • Right                    | 145          |
| 176405   | Dental Hand Scaler • Hatchet                     | 150          |
| 176406   | Dental Hand Scaler • Hatchet • Robust            | 150          |

#### **Small Dentistry Kit for Cats**

Small dental kit for cats by MIHALJEVIĆ.


| Small denta | l kit for cats by MIHALJEVIC.               |              |          |
|-------------|---|--------------|----------|
| Item No.    |   | Length<br>mm | Form     |
| 176471      | Complete set, consisting of:                |              |          |
| 134009      | FEILCHENFELD<br>Splinter Forceps            | 90           |          |
| 110609      | Iris Scissors                               | 90           | straight |
| 176413      | Periosteal Elevator • Tip width: 2 and 3 mm | 180          |          |
| 175405      | Apical Elevator                             | 145          | straight |
| 175312      | Winged Elevator • Width: 2 mm               | 145          |          |
| 175302      | BEIN Dental Elevator • Width: 2 mm          | 135          | curved   |





#### **Large Dentistry Kit for Cats**

| Kit specially<br>in cats by M | designed for diagnosis and IIHALJEVIĆ.         | treatment    | of dental diseases |
|-------------------------------|--|--------------|--------------------|
| Item No.                      |  | Length<br>mm | Form               |
| 176470                        | Complete set, consisting of:                   |              |                    |
| 134009                        | FEILCHENFELD<br>Splinter Forceps               | 90           |                    |
| 110609                        | Iris Scissors • S/s                            | 90           | straight           |
| 124009                        | SPENCER Stitch Scissors                        | 90           |                    |
| 176020                        | STIEGLITZ Root Extraction Forceps              | 130          |                    |
| 176011                        | Dental Extraction Forceps • Premolars          | 110          | straight           |
| 176215                        | WITZEL Root Extraction Forceps                 | 150          |                    |
| 175405                        | Apical Elevator                                | 145          | straight           |
| 175302                        | BEIN Dental Elevator • Width: 2 mm             | 135          |                    |
| 175312                        | Winged Elevator • Width: 2 mm                  | 145          |                    |
| 17734011                      | Periodontal Probe • Dual-ended • Graduated tip | 170          |                    |
| 175803                        | Feline Dental Elevator • Width: 2 mm           | 170          |                    |
| 176413                        | Periosteal Elevator • Dual-ended               | 180          | fine               |



175803

17734011

176413



#### **Dentistry Kit for Dogs and Cats**

Starter kit for dental diagnostic and periodontal surgery in dogs and cats.

| Starter kit for dental diagnostic and periodontal surgery in dogs and cats. |  |              |          |
|---|--|--------------|----------|
| Item No.  |  | Length<br>mm | Form     |
| 176472  | Complete set, consisting of:   |              |          |
| 17647206  | Dental Periosteal Elevator  • Dual-ended  • For cats   | 170          |          |
| 17647207  | GLICKMANN Combined<br>Instrument • Dual-ended • For dogs   | 175          |          |
| 17647204  | <ul><li>Subgingival Curette</li><li>Gracey</li><li>Size 9/10"</li><li>Suitable for buccal and lingual aspects of molar teeth</li></ul> | 170          |          |
| 17647203  | Subgingival Curette Gracey • Size 3/4" • Suitable for incisor teeth  | 170          |          |
| 17647202  | Peridontal Probe   | 160          |          |
| 17734011  | Periodontal Probe <ul><li>Dual-ended</li><li>Graduated tip</li></ul>   | 170          |          |
| 132912  | ADSON-BROWN Tissue<br>Forceps • Delicate • 9 x 9 teeth   | 120          |          |
| 972016  | Dressing Forceps – Basic   | 160          |          |
| 170710  | GRAEFE Iris Forceps  | 100          | curved   |
| 152414  | MATHIEU-OLSEN Needle<br>Holder (TC)<br>• With scissors   | 140          |          |
| 17647205  | MAYO Scissors • Bl/bl  | 145          | straight |
| 100503  | Surgical Scalpel Handle<br>No. 3<br>• Blade sizes 10 to 15   | 125          |          |
| 98100711  | EICKEMEYER® Scalpel Blade Size 11 • Fits scalpel handle No. 3  |              |          |
|   |  |              |          |


#### **Canine and Feline Dental Instrument Kit**

Our dental kit provides all the necessary instruments to help you tackle the most commonly encountered dental conditions. It includes the new EICKEMEYER® Mouth Gag Set, so dental procedures and dental corrections in cats and dogs can now be carried out even more securely.

|  | Length<br>mm   | Form   |
|--|--|--|
| Complete set, consisting of:   |  |  |
| Apical Elevator  | 145  | straight   |
| Winged Elevator • Width: 2 mm  | 145  |  |
| BEIN Dental Elevator Modified • Width: 2 mm  | 135  | straight   |
| BEIN Dental Elevator Modified • Width: 3 mm  | 135  | straight   |
| BEIN Dental Elevator Modified • Width: 4 mm  | 135  | straight   |
| BEIN Dental Elevator • For dogs • Width: 2 mm  | 200  |  |
| BEIN Dental Elevator • For cats and smaller dogs • Width: 3 mm   | 190  |  |
| Periodontal Probe <ul><li>Dual-ended</li><li>Graduated tip</li></ul>   | 170  |  |
| Subgingival Curette Gracey • Size 3/4" • Suitable for incisor teeth  | 170  |  |
| <ul><li>Subgingival Curette Gracey</li><li>Size 9/10"</li><li>Suitable for buccal and lingual aspects of molar teeth</li></ul>                                   | 170  |  |
| STIEGLITZ Root Extraction Forceps  | 130  |  |
| Dental Extraction Forceps • Premolars  | 110  | straight   |
| <ul><li>EICKEMEYER® Mouth Gag</li><li>Size XS</li><li>3 – 4 cm</li></ul>   |  |  |
| EICKEMEYER® Mouth Gag • Size S • 4 – 6 cm  |  |  |
| EICKEMEYER® Mouth Gag • Size M • 6 – 8 cm  |  |  |
| EICKEMEYER® Mouth Gag • Size L • 9 – 11.5 cm   |  |  |
| EICKEMEYER® Mouth Gag • Size XL • 12 – 15 cm   |  |  |
| Premium Instrument Box  • Made of aluminium  • Perforated bottom and lid  • Features side closures  • Not autoclavable  • Dimensions (in cm):  L 30 x W 14 x H 7 |  |  |
|  | Apical Elevator  Winged Elevator  Windth: 2 mm  BEIN Dental Elevator Modified  Width: 2 mm  BEIN Dental Elevator Modified  Width: 3 mm  BEIN Dental Elevator Modified  Width: 4 mm  BEIN Dental Elevator  For dogs  Width: 2 mm  BEIN Dental Elevator  For cats and smaller dogs  Width: 3 mm  Periodontal Probe  Dual-ended  Graduated tip  Subgingival Curette Gracey  Size 3/4"  Suitable for incisor teeth  Subgingival Curette Gracey  Size 9/10"  Suitable for buccal and lingual aspects of molar teeth  STIEGLITZ Root Extraction Forceps  Peremolars  EICKEMEYER® Mouth Gag  Size XS  3 - 4 cm  EICKEMEYER® Mouth Gag  Size S  4 - 6 cm  EICKEMEYER® Mouth Gag  Size M  6 - 8 cm  EICKEMEYER® Mouth Gag  Size L  9 - 11.5 cm  Premium Instrument Box  Made of aluminium  Perforated bottom and lid  Features side closures  Not autoclavable  Dimensions (in cm): | Complete set, consisting of:  Apical Elevator  Apical Elevator  Winged Elevator  Width: 2 mm  BEIN Dental Elevator Modified  Width: 2 mm  BEIN Dental Elevator Modified  Width: 3 mm  BEIN Dental Elevator Modified  Width: 4 mm  BEIN Dental Elevator  For dogs  Width: 2 mm  BEIN Dental Elevator  For dogs  Width: 3 mm  BEIN Dental Elevator  For dogs  Width: 3 mm  Periodontal Probe  For cats and smaller dogs  Width: 3 mm  Periodontal Probe  Dual-ended  Graduated tip  Subgingival Curette Gracey  Size 3/4"  Suitable for incisor teeth  Subgingival Curette Gracey  Size 9/10"  Suitable for buccal and lingual aspects of molar teeth  STIEGLITZ Root Extraction Forceps  Dental Extraction Forceps  Premolars  EICKEMEYER® Mouth Gag  Size X  3 - 4 cm  EICKEMEYER® Mouth Gag  Size S  4 - 6 cm  EICKEMEYER® Mouth Gag  Size L  9 - 11.5 cm  EICKEMEYER® Mouth Gag  Size L  9 - 11.5 cm  EICKEMEYER® Mouth Gag  Size L  9 - 11.5 cm  EICKEMEYER® Mouth Gag  Size X  Not autoclavable  Dimensions (in cm): |













#### **EICKEMEYER® Mouth Gag Set**

With the EICKEMEYER® mouth gag set dental procedures and dental corrections in cats and dogs can now be carried out even more secure. These novel mouth gags consist of two cylinders that can be adjusted via a thread in their length. With this feature the mouth gags can be easily adapted to the mouth of the patient. By the defined adjustment an excessive tension is no longer possible, therefore irreparable damages and injuries can be avoided.

- Material: Hard plastic
- Easy to clean and disinfect
- Radiolucent
- Set of 5 sizes

| Item No. |  |
|----------|--|
| 200120   | Complete set, consisting of:   |
| 20012005 | <ul><li>EICKEMEYER® Mouth Gag</li><li>Size XS</li><li>3 – 4 cm</li></ul>   |
| 20012004 | <ul><li>EICKEMEYER® Mouth Gag</li><li>Size S</li><li>4 – 6 cm</li></ul>    |
| 20012003 | <ul><li>EICKEMEYER® Mouth Gag</li><li>Size M</li><li>6 – 8 cm</li></ul>    |
| 20012002 | <ul><li>EICKEMEYER® Mouth Gag</li><li>Size L</li><li>9 – 11.5 cm</li></ul> |
| 20012001 | EICKEMEYER® Mouth Gag • Size XL • 12 – 15 cm                               |

#### **Wood Dental Mouth Gags**

Being made of wood makes these mouth gags exceptionally lightweight and allows secure access to the mouth.

| Item No. |                               | Length<br>mm |
|----------|-------------------------------|--------------|
| 200007   | Wood Dental Mouth Gag • Small | 70           |
| 200009   | Wood Dental Mouth Gag • Large | 90           |

#### **Dental Models**

- Transparent hinged jaw helps visualise the roots of all teeth (incisors, canine, premolars, molars)
- Can be separated for closer examination
- Ideal for client education

| Dental Model Cat    |
|---------------------|
| Dental Model Dog    |
| Dental Model Rodent |
|                     |
|                     |
|                     |
|                     |

#### **DENTO-DORM® Positioning Accessories**

- DENTO-DORM® products are developed, produced and clinically tested according to strict guidelines in Germany
- Warm insulating positioning aid constructed of sturdy hard foam
- Suitable for dental procedures, X-Rays and other surgical procedures for dogs, cats and small pets

| procedur | es for dogs, eats and small pets   |
|----------|--|
| Item No. |  |
| 605960   | DENTO-DORM® Mattress • Includes: Four positioning wedges • Dimensions (in cm): L 75 x W 30 x H 8 |
| 605961   | DENTO-DORM® Head Positioning Aid • Two per set   |







605961

#### **DENTO-DORM® Tracheal Sponges**

Made from cellular rubber, this is a sealing sponge for the trachea, especially during calculus removal and dental treatments. The DENTO-DORM® Tracheal Sponge has a tightly sealed outlet opening for the tracheal tube. All tracheal sponges are autoclavable.

| Item No. |   |
|----------|---|
| 178260   | <ul> <li>DENTO-DORM® Tracheal Sponge Set</li> <li>The set includes 48 tracheal sponges and a carrying case</li> </ul>   |
| 178261   | <ul><li>DENTO-DORM® Tracheal Sponge Refill Pack</li><li>Includes: 12 Coarse Sponges</li><li>3 different sizes</li></ul> |
| 178262   | <ul><li>DENTO-DORM® Tracheal Sponge Refill Pack</li><li>Includes: 36 Fine Sponges</li><li>6 different sizes</li></ul>   |



178260





604306



604301



604303



604305

#### Low Lift Scissor Table II

- Scissor-shaped examination and surgery tableStationary Model
- Electric operating table helps protect your back
  Adjustable height: 28 to 110 cm
- Stainless steel construction
- Smooth flat top with anti-drip edges and drain hole (Standard model only)
- Tabletop has a wooden plate underneath for low noise operation
- Electric operation via foot pedal, hand control available on request
- Four adjustable feetFixed cleats
- Tabletop dimensions (in cm): L 130 x W 60

| Tabletop | dimensions (in cm): L 130 x W 60   |
|----------|--|
| Item No. |  |
| 604200   | Low Lift Scissor Table II  • Stainless steel   |
| 604201   | Low Lift Scissor Table II  Colour: Flame red   |
| 604202   | Low Lift Scissor Table II  Colour: Lime green  |
| 604203   | Low Lift Scissor Table II  Colour: Night blue  |
| 604204   | Low Lift Scissor Table II  Colour: Red orange  |
| 604205   | Low Lift Scissor Table II  Colour: Moss green  |
| 604206   | Low Lift Scissor Table II  Colour: Pink  |
| 604207   | Low Lift Scissor Table II  Colour: Pure white  |
| 604306   | Mobile Kit for Scissor Table II  • With rechargeable battery   |
| 604307   | Battery Kit for Scissor Table II  For wireless operation for stationary table  Sold as battery only  |
| 604301   | <ul> <li>Electric Tilt Option</li> <li>Foot pedal operated</li> <li>Tilt mechanism up to 35°</li> <li>Cannot be combined with Scale Option (item no. 604305)</li> <li>ATTENTION: Table not included</li> </ul> |
| 604303   | Curved Dental Tray  • For Low Lift Scissor Table II  • With removable tray with grid  • Tray size (in cm): W 50 x D 35   |
| 604304   | DIN Table Rail System  • Lateral  • Attachable   |
| 604305   | Integrated Scale Option  • Weighing range: 0 – 120 kg  • ATTENTION: Cannot be combined with Tilt Mechanism (item no. 604301)   |

#### CONTENT

| A  | G   |
|--|---|
| Arkansas Whetstone   | Gum Scissors  |
| В  | L   |
| Burr Set for Straight Handpiece11  | Luxators  |
| С  | М   |
| Cleaning and Care for Dental Handpieces  | Minnesota Retractor.34Mouth Gags for Rabbits and Rodents21Mouth Gags for Small Animals40  |
|  |   |
| Dental Burr Cleaning Brush   | P   |
| Dental Burrs (FG).17Dental Burrs (HP).18, 19Dental Burrs (RA).18Dental Cart.12Dental Cutters for Rodents (HP).20Dental Hand Scalers.36Dental Handpiece Anti Dust Spray.16                                  | Periodontal Probes31Polishing Cups (RA)15Polishing Heads (HP)15Portable Dental X-Ray System2Positioning Accessories41Prophy Paste16                   |
| Dental Handpiece Lubricant Oil   | R   |
| Dental Handpieces9, 10Dental Instruments for Small Animals.32Dental Models.40Dental Polisher/Drill Unit.14Dental X-Ray Reader (CR).4,5Dental Scaler.13   | Rodent Cheek Dilators   |
| Dental Suction Unit Detergent  | S   |
| Dental Unit Air Compressor.9Dental Unit Pressurised Water Canister.15Dental Units.6,7,13Dental X-Ray Generator.2Dental X-Ray Sensor (DR).3DENTANOMIC Dental Instruments.26-28Dentistry Kits for Cats.36,37 | Schuhmacher Burr Set for Small Animals17Scissor Table.42Starter Kit for Small Animals.14Starter Kit Profident/Profident PLUS.8Subgingival Curettes.32 |
| Dentistry Kits for Dogs and Cats   | т   |
| Dentistry Kits for Rodents   | Tapered Finishing Burr (FG)   |
| E  | W   |
| Elevators29 – 33Examination and Theatre Lights.42Extraction Forceps.24, 33 – 35  | Winged Elevators  |